

# CRESCENDO EVOLUTION 9DSP



## *How To Install Software and Firmware*

Audio Plus Indonesia

June 29, 2018

# Crescendo Evolution 9 DSP

## *How To Install Software & Firmware*

### **Things to be aware of:**

1. Software is the one attached to your laptop and firmware is the one attached to your DSP. You must make sure both version are the same. It is easier to update both of them all together.
2. Software and firmware version 2 is the latest update (from January 2018 until now).
3. Evolution 9DSP Software can be used in both Microsoft and OSX operating system.

# Crescendo Evolution 9 DSP

## *How To Install Software*

### **Software Installation Step by Step:**

4. Unzip Evolution 9DSP software and firmware
5. Change laptop date to before August 31, 2017 due to some licensing issue with Adobe Air
6. For Windows based laptop, double click CRESCENDO\_DSP.exe and click INSTALL
7. For OSX based laptop, double click CRESCENDO\_DSP.dmg and click INSTALL. If OSX security prevent the installation, follow the instruction below:

To override your security settings and open the app anyway:

1. In the [Finder](#), locate the app you want to open.

Don't use Launchpad to do this. Launchpad doesn't allow you to access the shortcut menu.

2. Control-click the app icon, then choose Open from the shortcut menu.

3. Click Open.

The app is saved as an exception to your security settings, and you can open it in the future by double-clicking it just as you can any registered app.

8. Change laptop date back to original.

# Crescendo Evolution 9 DSP

## *How To Install Firmware*

### **Firmware Update Step by Step:**

1. Unzip Evolution 9DSP software and firmware
2. Copy file upgrade.hex to an empty micro SD card. It has to be empty, unless it will not work.
3. Turn off Head Unit.
4. Insert micro SD card with upgrade.hex file to Evolution 9 DSP until you hear a click sound.
5. Turn on Head Unit and wait for 20 seconds.
6. Turn off Head Unit.
7. Check the files inside micro SD card and you must not find upgrade.hex file anymore. It will change to log.txt.